# **Resonances**

- introduction: driven oscillators and resonance condition smooth approximation for motion in accelerators field imperfections and normalized field errors perturbation treatment Poincare section stabilization via amplitude dependent tune changes sextupole perturbation & slow extraction
  - chaotic particle motion

# Introduction: Damped Harmonic Oscillator

equation of motion for a damped harmonic oscillator:

$$\frac{d^2}{dt^2}w(t) + \omega_0 \cdot Q^{-1} \cdot \frac{d}{dt}w(t) + \omega_0^2 \cdot w(t) = 0$$

Q is the damping coefficient

→ (amplitude decreases with time)

 $\omega_0$  is the Eigenfrequency of the HO

example: weight on a spring  $(Q = \infty)$ 

$$k \stackrel{\text{d}}{\longrightarrow} \frac{d^2}{dt^2} w(t) + k \cdot w(t) = 0 \quad \longrightarrow w(t) = a \cdot \sin(\sqrt{k} \cdot t + \phi_0)$$

# Introduction: Driven Oscillators

an external driving force can 'pump' energy into the system:

$$\frac{d^2}{dt^2}w(t) + \omega_0 \cdot Q^{-1} \cdot \frac{d}{dt}w(t) + \omega_0^2 \cdot w(t) = \frac{F}{m} \cdot \cos(\omega \cdot t)$$

general solution: 
$$w(t) = w_{tr}(t) + w_{st}(t)$$

stationary solution:

$$W_{st}(t) = W(\omega) \cdot \cos[\omega \cdot t - \alpha(\omega)]$$


where ' $\omega$ ' is the driving angular frequency! and W( $\omega$ ) can become large for certain frequencies!

# Introduction: Driven Oscillators

stationary solution

stationary solution follows the frequency of the driving force:


$$W_{st}(t) = W(\omega) \cdot \cos[\omega \cdot t - \alpha(\omega)]$$



oscillation amplitude can become large for weak damping

# Introduction: Pulsed Driven Resonances Example

higher harmonics:



#### example of a bridge:

2<sup>nd</sup> harmonic:

3<sup>nd</sup> harmonic:

#### 4<sup>th</sup> harmonic:



peak amplitude depends on the excitation frequency and damping

# Introduction: Instabilities

resonance catastrophe without damping:

$$W(\omega) = W(0) \cdot \frac{1}{\sqrt{\left[1 - (\frac{\omega}{\omega})^2\right]^2 + (\frac{\omega}{\omega_0})^2}} \sqrt{\frac{\left[1 - (\frac{\omega}{\omega})^2\right]^2 + (\frac{\omega}{\omega_0})^2}{2\omega_0}}$$

weak damping:


resonance condition:

Tacoma Narrow bridge 1940



excitation by strong wind on the Eigenfrequencies


# Smooth Approximation: Resonances in Accelerators



(synchrotron radiation damping (single particle) or Landau damping distributions)

# **Smooth Approximation: Free Parameter**

co-moving coordinate system:



 choose the longitudinal coordinate as the free parameter for the equations of motion



equations of motion:

$$\frac{d}{dt} = \frac{ds}{dt} \cdot \frac{d}{ds}$$
 with:  $\frac{ds}{dt} = v$ 

$$\rightarrow \qquad \frac{d^2}{dt^2} = v^2 \cdot \frac{d^2}{ds^2}$$

## Smooth Approximation: Equation of Motion I

Smooth approximation for Hills equation:

$$\frac{d^2}{ds^2}w(s) + K(s) \cdot w(s) = 0 \xrightarrow{K(s) = \text{const}} \frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = 0$$

(constant  $\beta$ -function and phase advance along the storage ring)

$$w(s) = A \cdot \cos(\omega_0 \cdot s + \phi_0) \qquad \qquad \omega_0 = 2\pi \cdot Q_0 / L$$

(Q is the number of oscillations during one revolution)

perturbation of Hills equation:

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = F(w(s), s)/(v \cdot p)$$

in the following the force term will be the Lorenz force of a charged particle in a magnetic field:

$$F = q \cdot \vec{v} \times \vec{B}$$

## Field Imperfections: Origins for Perturbations

linear magnet imperfections: derivation from the design dipole and quadrupole fields due to powering and alignment errors

time varying fields: feedback systems (damper) and wake fields due to collective effects (wall currents)

non-linear magnets: sextupole magnets for chromaticity correction and octupole magnets for Landau damping

beam-beam interactions: strongly non-linear field!

non-linear magnetic field imperfections: particularly difficult to control for super conducting magnets where the field quality is entirely determined by the coil winding accuracy Field Imperfections: Localized Perturbation

periodic delta function:

$$\delta_L(s-s_0) = \begin{cases} 1 & \text{for 's'} = s_0 \\ 0 & \text{otherwise} \end{cases} \quad \text{and} \quad \oint \delta_L(s-s_0) ds = 1$$

equation of motion for a single perturbation in the storage ring:

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = \delta_L(s - s_0) \cdot l \cdot F(w, s) / (v \cdot p)$$

Fourier expansion of the periodic delta function:

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = \frac{l}{L}\sum_{r=-\infty}^{\infty} \cos(r \cdot 2\pi \cdot s/L) \cdot F(w,s)/(v \cdot p)$$

infinite number of driving frequencies

## Field Imperfections: Constant Dipole

normalized field error: 
$$\frac{F}{v \cdot p} = q \cdot \frac{\vec{v} \times B}{v \cdot p} \xrightarrow{v \perp B} q \cdot B / p = k_0$$

equation of motion for single kick:

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = \frac{lk_0}{L}\sum_{r=-\infty}^{\infty} \cos(r \cdot 2\pi \cdot s/L)$$

resonance condition:

$$\omega_0 = r \cdot 2\pi / L \xrightarrow{\omega_0 = 2\pi \cdot Q_0 / L} Q_0 = r$$

avoid integer tunes!

remember the example of a single dipole imperfection from the 'Linear Imperfection' lecture yesterday! Field Imperfections: Constant Quadrupole

equations of motion:

$$\frac{d^2}{ds^2}x(s) + \omega_x^2 \cdot x(s) = k_1 \cdot x(s)$$

$$y(s) \equiv 0$$

with: 
$$k_1 = \frac{q}{p} \cdot \frac{\partial B_y}{\partial x}$$

$$\frac{d^2}{ds^2} x(s) + (\omega_x^2 - k_1) \cdot x(s) = 0$$

change of tune but no amplitude growth due to resonance excitations!

Field Imperfections: Single Quadrupole Perturbation

assume y = 0 and  $B_x = 0$ :  $F(s)/(v \cdot p) = \delta_L(s - s_0) \cdot l \cdot k_1 \cdot x$ 

$$\longrightarrow \frac{d^2}{ds^2} x(s) + \omega_{x,0}^2 \cdot x(s) = \frac{lk_1}{L} \sum_{r=-\infty}^{\infty} \cos(2\pi \cdot r \cdot s/L) \cdot x(s)$$
$$\left[x(s) = A \cdot \cos(\omega_0 \cdot s)\right] \longrightarrow = \frac{lk_1}{2L} \sum_{r=-\infty}^{\infty} \cos(2\pi \cdot r \cdot s/L \pm \omega_0 \cdot s) \cdot x(s)$$

resonance condition:  $\omega_{x,0} = r \cdot 2\pi / L \pm \omega_{x,0} \xrightarrow{\omega_0 = 2\pi \cdot Q_0 / L} Q_0 = r/2$ 

 $r = -\infty$ 

avoid half integer tunes plus resonance width from tune modulation!

exact solution: variation of constants  $\rightarrow$  see the lecture yesterday

Field Imperfections: Time Varying Dipole Perturbation

time varying perturbation:

$$F(t) = F_0 \cdot \cos(\omega_{kick} \cdot t) \xrightarrow{t \to s} F_0 \cdot \cos(2\pi \cdot \frac{\omega_{kick}}{\omega_{rev}} \cdot s/L) / (v \cdot p)$$

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = \frac{lF_0}{2L} \sum_{r=-\infty}^{\infty} \cos(2\pi \cdot [r \pm \omega_{kick} / \omega_{rev}] \cdot s / L) / (v \cdot p)$$

resonance condition:

$$\omega_0 = 2\pi \cdot (r \pm \omega_{kick} / \omega_{rev}) / L \xrightarrow{\omega_0 = 2\pi \cdot Q_0 / L} \rightarrow f_{kick} = f_{rev} \cdot (Q_0 \pm r)$$

#### avoid excitation on the betatron frequency!

(the integer multiple of the revolution frequency corresponds to the modes of the bridge in the introduction example)

# Field Imperfections: Several Bunches $F(t) = B \cdot \cos(\omega_{kick} \cdot t); \omega_{kick} \approx \omega_{rev}:$ F F machine circumference $F(t) = B \cdot \cos(\omega_{kick} \cdot t); \omega_{kick} \approx 2 \cdot \omega_{rev}$ : F $\mathbf{F}$

higher modes analogous to bridge illustration

# Field Imperfections: Multipole Expansion

Taylor expansion of the magnetic field:


$B_y + iB_x =$	$\sum_{n=0}^{\infty} \frac{1}{n!} \cdot$	$f_n \cdot (x + iy)^n$	with: $f_n = \frac{\partial^{n+1}B_y}{\partial x^{n+1}}$
multipole	order	B <sub>x</sub>	B <sub>y</sub>
dipole	0	0	$B_0$
quadrupole	1	$f_1 \cdot y$	$f_1 \cdot x$
sextupole	2	$f_2 \cdot x \cdot y$	$\frac{1}{2} \cdot f_2 \cdot (x^2 - y^2)$
octupole	3	$\frac{1}{6} \cdot f_3 \cdot (3yx^2 - y^3)$	$\frac{1}{6} \cdot f_3 \cdot (x^3 - 3xy^2)$

#### normalized multipole gradients:

$$F(s)/(v \cdot p) = \frac{q \cdot (\vec{v} \times \vec{B})}{(v \cdot p)} \qquad k_n = \frac{q}{p} \cdot f_n \qquad k_n = 0.3 \cdot \frac{f_n [T / m^n]}{p [GeV / c]} \qquad [k_n] = \frac{1}{m^{n+1}}$$

# Field Imperfections: Multipole Illustration

upright and skew field errors




# Field Imperfections: Multipole Illustrations

quadrupole and sextupole magnets



#### ISR quadrupole

#### LEP Sextupole




## Field Imperfections: Dipole Magnets

dipole magnet designs:


#### LEP dipole magnet:


#### conventional magnet design relying on pole face accuracy of a Ferromagnetic Yoke



#### LHC dipole magnet:

#### air coil magnet design relying on precise current distribution





## Perturbation Treatment: Resonance Condition

equations of motion:

(n<sup>th</sup> order Polynomial in x and y for n<sup>th</sup> order multipole)

with: w = x, y

$$\frac{d^2}{ds^2}w(s) + \omega_0^2 \cdot w(s) = \varepsilon \cdot \sum_{\substack{l+m < n, \\ r}} a_{n,m,r} \cdot x^l \cdot y^m \cdot \cos(2\pi \cdot r \cdot s/L)$$

perturbation treatment:

$$w(s) = w_0 + \varepsilon \cdot w_1 + \varepsilon^2 w_2 + \dots + O(\varepsilon^n) \qquad \omega_0 = \frac{2\pi}{L} Q_0$$

with:  $w_0(s) = w_0 \cdot \cos(2\pi \cdot Q_0 \cdot s/L + \phi_0)$ w = x:

$$\longrightarrow \frac{d^2}{ds^2} x_1 + \omega_0^2 \cdot x_1 = \sum_{\tilde{l} < l, \tilde{m} < m} a_{\tilde{n}, \tilde{m}, r} \cos\left(\frac{2\pi}{L} \cdot [\tilde{l} Q_{x, 0} + \tilde{m} Q_{y, 0} + r] \cdot s\right)$$

## Perturbation Treatment: Tune Diagram I

resonance condition:


$$l \cdot Q_x + m \cdot Q_y = r$$

tune diagram:

up to 11 order (p+l <12)

there are resonances everywhere! (the rational numbers lie dens within the real number)  $\frac{2\pi}{L} \cdot (\tilde{l} \cdot Q_x + \tilde{m} \cdot Q_y + r) = \frac{2\pi}{L} \cdot Q_{x,y}$ 

avoid rational tune values!




## Perturbation Treatment: Tune Diagram II

regions with few resonances:

- $l \cdot Q_x + m \cdot Q_y = r$
- < 12<sup>th</sup> order for a proton beam without damping
- < 3<sup>rd</sup> ⇔ 5<sup>th</sup> order for electron beams with damping
- coupling resonance: regions without low order resonances are relatively small!

avoid low order resonances!



#### Perturbation Treatment: Single Sextupole Perturbation

perturbed equations of motion:  $F(s)/(v \cdot p) = \frac{1}{2} \cdot \delta_L(s - s_0) \cdot lk_2 \cdot x^2$ 

$$\frac{d^2}{ds^2} x_1(s) + \omega_0^2 \cdot x_1(s) = \frac{1}{2} \cdot lk_2 \cdot x_0^2 \cdot \frac{1}{L} \sum_{r=-\infty}^{\infty} \cos(2\pi \cdot r \cdot s/L)$$

with: 
$$x_0(s) = A \cdot \cos(\omega_{0,x} \cdot s + \phi_0)$$
 and  $\omega_{0,x} = 2\pi \cdot Q_{x,0} / L$ 

$$\rightarrow \frac{d^2}{ds^2} x_1(s) + (2\pi Q_{x,0} / L)^2 \cdot x_1(s) = \frac{lk_1}{2L} \cdot A^2 \cdot \sum_{r=-\infty}^{\infty} \cos(2\pi \cdot r \cdot s / L)$$

$$+\frac{lk_1}{8L}\cdot A^2\cdot\sum_{r=-\infty}^{\infty}\cos(2\pi\cdot[r\pm 2Q_{x,0}]\cdot s/L)$$

Perturbation Treatment: Sextupole Perturbation

resonance conditions:

$$2\pi Q_{x,o} = 2\pi \cdot (r) \longrightarrow Q_{x,0} = r$$

$$2\pi Q_{x,o} = 2\pi \cdot (r \pm 2Q_{x,0}) \xrightarrow{r-2Q_{x,0}} Q_{x,0} = r/3$$


$$\xrightarrow{r+2Q_{x,0}} Q_{x,0} = r$$
avoid integer and r/3 tunes!

perturbation treatment:

contrary to the previous examples no exact solution exist! this is a consequence of the non-linear perturbation (remember the 3 body problem?)

 $\rightarrow$  graphic tools for analyzing the particle motion

## **Poincare Section: Definition**



# **Poincare Section: Linear Motion**

unperturbed solution:


$$x(s) = \sqrt{R} \cdot \cos(\phi)$$
 with  $\frac{d}{ds}\phi = \omega_0$ 

$$x' = \frac{d}{ds}x = -\sqrt{R} \cdot \omega_0 \cdot \sin(\phi)$$

phase space portrait:

• the motion lies on an ellipse


- $\rightarrow \ \ \text{linear motion is described by} \\ \text{a simple rotation}$ 
  - consecutive intersections lie on closed curves



# **Poincare Section: Non-Linear Motion**



single n-pole kick: 
$$\Delta x' = \frac{1}{n!} \cdot lk_n \cdot x^n$$



## Poincare Section: Stability?


instability can be fixed by 'detuning':

- overall stability depends on the balance between amplitude increase per turn and tune change per turn:
  - $\Delta Q_{turn}(x) \rightarrow$  motion moves eventually off resonance
    - $\Delta R_{turn}(x) \rightarrow motion$  becomes unstable

#### sextupole kick:


amplitudes increases faster then the tune can change





### Poincare Section: Simulatiosn for a Sextupole Perturbation

- Poincare Section right after the sextupole kick
- → for small amplitudes the intersections still lie on closed curves → regular motion!
- separatrix location depends on
   the tune distance from the exact
   resonance condition (Q < n/3)</li>



Χ

for large amplitudes and near the separatrix the intersections
fill areas in the Poincare Section → chaotic motion;
no analytical solution exist!

## **Stabilization of Resonances**

instability can be fixed by stronger 'detuning':

if the phase advance per turn changes uniformly with increasing R the motion moves off resonance and stabilizes

octupole perturbation:  

$$F(s)/(v \cdot p) = \underbrace{\frac{1}{6} \cdot lk_{3}}_{6} x^{3}$$
perturbation treatment:  


$$x(s) = x_{0}(s) + \varepsilon \cdot x_{1}(s) + \dots \quad \varepsilon$$

$$\underbrace{\frac{d^{2}}{ds^{2}} x_{1}(s) + (2\pi Q_{x,0}/L)^{2} \cdot x_{1}(s) = \frac{1}{6} \cdot lk_{3} \cdot x_{0}^{2} \cdot x_{1}$$

$$x_{0} = A \cdot \cos(\omega_{0} \cdot s + \phi_{0}) \Rightarrow x_{0}^{2} = \frac{A^{2}}{2} \cdot [1 + \cos(2\omega_{0} \cdot s + 2\phi_{0})]$$


$$\underbrace{\frac{d^{2}}{ds^{2}} x_{1}(s) + \left[(2\pi Q_{x,0}/L)^{2} - \underbrace{\frac{A^{2}}{2} \cdot lk_{3}}_{2 \cdot 6}\right] \cdot x_{1}(s) = \frac{A^{2} \cdot lk_{3}}{2 \cdot 6} \cdot \cos(2\omega_{0} \cdot s) \cdot x_{1}$$

## **Stabilization of Resonances**



resonance stability for octupole:

amplitude growth and detuning are balanced and the overall motion is stable!




Х

this is not generally true in case of several resonance driving terms and coupling between the horizontal and vertical motion!

## **Chaotic Motion**

octupole + sextupole perturbation: X'

- the interference of the octupole and sextupole perturbations generate additional resonances
   additional island chains in the Poincare Section!
- → intersections near the resonances -1e-06 lie no longer on closed curves → -1.5e-06 local chaotic motion around the separatrix & instabilities -2e-06 -0.006 -0.004
   → slow amplitude growth (Arnold diffusion)
- neighboring resonance islands start to 'overlap' for large amplitudes 
   global chaos & fast instabilities




Χ

## **Chaotic Motion**

#### 'Russian Doll' effect:





magnifying sections of the Poincare Section reveals always the same pattern on a finer scale 
renormalization theory!

## <u>Summary</u>

field imperfections drive resonances

higher order than quadrupole field imperfections generate non-linear equations of motion (no closed analytical solution)

(three body problem of Sun, Earth and Jupiter)

→ solutions only via perturbation treatment

Poincare Section as a graphical tool for analyzing the stability

slow extraction as example of resonance application in accelerator

island chains as signature for non-linear resonances

island overlap as indicator for globally chaotic & unstable motion